

Swifts[®] cable tray

NEW universal bracket



NEW universal bracket... ultimate versatility

Overcome obstacles and challenges on-site with the NEW universal bracket. One innovative bracket... endless possibilities


See overleaf to find out more...




NEW UNIVERSAL BRACKET /
FOR MRF AND SRF
CABLE TRAY SYSTEMS

Swifts[®] cable tray... ultimate versatility

Overcome obstacles and challenges on-site with the NEW universal bracket. Designed for use with SRF or MRF cable tray, the universal bracket is a must-have for any toolkit. This simple, innovative addition to the range offers true versatility when faced with demanding site conditions.



A simple,
versatile
solution to
on-site
fabrication



One innovative bracket... endless configurations

The NEW universal bracket can be hand folded, bent, split or hinged to offer a multitude of functions. The unique design provides the flexibility to cope with demanding on-site requirements.

Supplied with 'quick bolt fasteners' and driver tool.

Use in conjunction with the NEW universal fishplate to add additional support and cable protection.

Flange assembly



Snap and fold bracket to create a flange

Internal riser



Snap and hinge bracket to create internal or external risers from -90 to +90 degrees

Flat bend




Fold or bend bracket to desired angle. For wider installations add a fishplate for additional support

Side dropout



Create specialist functions such as side dropouts by folding and hinging brackets

Offset fourway




Fold or bend 2 pairs of brackets to form specialist offset fourways




Handed reducer




Create left, right or straight reducers by simply bending the bracket to suit the application




Swifts® MRF medium duty return flange cable tray universal bracket and fishplate



Pack	Cat. Nos.	Fittings
5	MRFUB F	<p>Universal brackets and fishplates are used for on-site fabrication of fittings</p> <p>Universal bracket Universal brackets can be used in a number of ways to achieve many change of direction and reducing functions Brackets can be folded into shape using a pair of pliers to create bends, tees, 4 way crosspieces etc</p>  <p>Over fold to split bracket and join using fasteners to create hinged couplers</p>  <p>Supplied in packs containing 5 pairs of brackets, 100 fasteners, and power tool nut driver Available in PG, G and S finishes G and PG versions supplied with quick bolt fasteners S version supplied with M6 x 12 pan head screws, nuts and washers</p> <p>Universal fishplates Fishplates are designed for extra strength when joining cable tray beds They can also help to protect cables from cut edges The universal fishplate can be overfolded and split at 75 mm centres when working with narrow trays</p> 
1	UF450 F	

Swifts® SRF heavy duty return flange cable tray universal bracket and fishplate



Pack	Cat. Nos.	Fittings
5	SRFUB F	<p>Universal brackets and fishplates are used for on-site fabrication of fittings</p> <p>Universal bracket Universal brackets can be used in a number of ways to achieve many change of direction and reducing functions Brackets can be folded into shape using a pair of pliers to create bends, tees, 4 way crosspieces etc</p>  <p>Over fold to split bracket and join using fasteners to create hinged couplers</p>  <p>Supplied in packs containing 5 pairs of brackets, 100 fasteners, and power tool nut driver Available in PG, G and S finishes G and PG versions supplied with quick bolt fasteners S version supplied with M6 x 12 pan head screws, nuts and washers</p> <p>Universal fishplates Fishplates are designed for extra strength when joining cable tray beds They can also help to protect cables from cut edges The universal fishplate can be overfolded and split at 75 mm centres when working with narrow trays</p> 
1	UF450 F	

Contact details

United Kingdom

Great King Street North,
Birmingham, B19 2LF

Customer Services:

Tel: +44 (0) 345 605 4333 Fax: +44 (0) 345 605 4334
E-mail: legrand.sales@legrand.co.uk

Quotations & Technical Support:

Tel: +44 (0) 370 608 9020 Fax: +44 (0) 345 605 5334
E-mail: uk-cmsales@legrand.co.uk

Republic of Ireland:

Tel: 01 295 9673 Fax: 01 295 4671
E-mail: legrand.sales@legrand.co.uk

Head office (UK and Ireland):

Legrand Electric Limited
Great King Street North, Birmingham, B19 2LF
Tel: +44 (0) 370 608 9000 Fax: +44 (0) 370 608 9004
Website: www.legrand.co.uk